Listing of Claims:

Please amend the claims as follows:

Claim 1 (Currently Amended) A control device for use with a pneumatic torque control tool having a motor, said device comprising:

a pressure regulator comprising at least one valve, configured to limit a maximum pneumatic pressure provided to said motor; and

a torque limiting timing device <u>comprising at least one valve</u>, configured to shut off fluid flow to said motor after a predetermined time that torque has been applied by the tool has been reached wherein the torque limiting timing device is in fluid communication with the pressure regulator;

a reservoir, controlling by fluid communication the pressure regulator and the torque limiting timing device; and

a valve to adjust the reservoir thereby controlling the pressure and the timing.

- 2. (Original) The control device of claim 1, wherein said predetermined time is user adjustable.
- 3. (Original) The control device of claim 1, wherein said predetermined time is fixed.
- 4. (Original) The control device of claim 1, wherein said pressure regulator is a regulator valve.

10/840,132

- 5. (Original) The control device of claim 1, wherein said torque limiting timing device is a shut-off valve.
- 6. (Original) The control device of claim 1, wherein said device is releasably attachable to said tool.
- 7. (Original) The control device of claim 1, wherein said device is modular.
- 8. (Original) The control device of claim 1, wherein said device is integral with said tool.
- 9. (Original) The control device of claim 1, wherein said device is remote from said tool.
- 10. (Withdrawn) A pneumatic tool, comprising:
 - a housing;
 - a motor within the housing; and
- a control device in fluid communication with the motor, wherein said control device includes a pressure regulator, configured to limit a maximum pneumatic pressure provide to said motor; and a torque limiting timing device, configured to shut off fluid flow to said motor at a predetermined time.
- 11. (Withdrawn) The pneumatic tool of claim 10, wherein said control device is releasably attached to said housing.

10/840,132

12. (Withdrawn) The pneumatic tool of claim 10, wherein said control device is integrated within said housing.